### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No. 7,101,607 Examiner: In Re September 5, 2006 Issued Art Unit: Mollendorf et al. Inventors 10/645,726 Serial No. August 21, 2003 Filed PROCESS FOR ENHANCING MATERIAL For PROPERTIES AND MATERIALS SO **ENHANCED** The Research Foundation of State University Assignee of New York

# REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 35 U.S.C. § 254 AND 37 C.F.R. § 1.322

Attention Certificate of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Pursuant to 35 U.S.C. § 254 and 37 C.F.R. § 1.322, patentees and patentees' assignee hereby request that the U.S. Patent and Trademark Office ("PTO") issue a certificate of correction (in the form enclosed) for the above-identified patent. A certificate of correction is needed, because the above-identified patent contains an error in the inventor data that is the fault of the PTO and is appropriate for correction under 35 U.S.C. § 254.

In particular, there is an error in the city data of the fifth inventor. The data for the fifth inventor is listed "Eric M. Stimson, North Tonawanda, NY" but should be "Eric M. Stimson, Kenmore, NY." The city of the fifth inventor is correct on the June 22, 2004, Filing Receipt and on the Issue Notification.

Since this error was the fault of the PTO, patentees submit that no fee is owed. However, if patentees are obligated to pay a fee, please charge such fee to Deposit Account No. 14-1138.

In view of the foregoing, patentees and patentees' assignee respectfully request that the PTO issue the attached Certificate of Correction for the above-identified patent.

Respectfully submitted,

/Andrew K. Gonsalves, Reg. No. 48,145/

Dated: September 20, 2006

Andrew K. Gonsalves Attorney for Patentee Registration No. 48,145

Nixon Peabody LLP Clinton Square, P.O. Box 31051 Rochester, New York 14603-1051 Telephone: (585) 263-1658

Facsimile: (585) 263-1600

### UNITED STATES PATENT AND TRADEMARK OFFICE

### CERTIFICATE OF CORRECTION

Patent No. : 7,101,607

Application No. : 10/645,726

: September 5, 2006 Issue Date

: Mollendorf et al. Inventors

> It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(75) Inventors, fifth line, delete "North" and insert --Kenmore, NY--in its place (75) Inventors, sixth line, delete "Tonawanda, NY"

## MAILING ADDRESS OF SENDER:

Michael L. Goldman NIXON PEABODY LLP Clinton Square P.O. Box 31051 Rochester, New York 14603-1051 No. of add'l copies @ 30¢ per page